

303 ϕ 1.0

Work Order ID 133979

133979

Page 1

Tuesday, June 23, 2015 3:26:22 PM

Item ID: D4151-5

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Fwd Basket Instl Stud

Start Date: 7/03/15 Start Qty: 1.00

1
1

Cust Item ID:

Required Date: 7/03/15 Req'd Qty: 1.00

Customer:

Reference:

Approvals: Process Plan: MLS Date: JUN 24 2015 Tooling: _____ Date: _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D4151	C

110

0.00

110

Doosan

Memo

0.00

Doosan Lathe

1-Mill as per folio FA953 & dwg ,

FOLIO REV: AADWG REV: C

2-Deburr as required

4 ϕ JTC 2015-07-02

120

QC2- Inspect parts off machine FAI/FAIB

0.00

120

QC

Memo

0.00

Quality Control

4 ϕ JTC 2015-07-02

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Work Order ID 133979

Tuesday, June 23, 2015 3:26:23 PM

133979

Page 2

Item ID: D4151-5 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Fwd Basket Instl Stud
Start Date: 7/03/15 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 7/03/15 Req'd Qty: 1.00 ***1*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	QC8- Inspect parts - second check	0.00				4	Ø		DAS 40 9-89
130									
QC	Memo	0.00							15/07/02
Quality Control									
140	Identify as per dwg & Stock Location: <u>ST095</u>	0.00				4	J.A	JUL 06 2015	DAS 6 9-89
140									
Packaging	Memo	0.00							
Packaging									
150	QC21- Final Inspection - Work Order Release	0.00							
150									
QC	Memo	0.00							
Quality Control									

MLJ JUL 06 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER :					

Picklist Print

Tuesday, June 23, 2015 3:26:22 PM

Page 1

Work Order ID: 133979

133979

Parent Item: D4151-5

D4151-5

Parent Item Name: Fwd Basket Instl Stud

Start Date: 7/03/15

Required Date: 7/03/15

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP REV:A NEW ISSUE 10-07-22 JLM VERIFIED BY:DD IPP Rev:B
11.01.21 as per dwg revC DD verf:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M303R1.000		Purchased		No		110	f	28.0000	0.25	1			

M303R1 000

303 Round Bar 1.00

Location

Loc Qty

Loc Code

MAT028

28

→ m132320

28

1,2 ET

JFL 2015-07-02

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>				Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐																																																
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																																																																	
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																																																																	
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																																																																	
Large Fab ☐	Composite ☐	Supplier ☐																																																																		
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval																																																																
Description Work Order Deviation		Disposition		Completed By																																																																
				Lead hand / Supervisor Approval Verification																																																																
				QC / QA Coordinator Approval																																																																
Root Cause		FAULT CATEGORY																																																																		
<table style="width:100%; border: none;"> <tr><td style="border: none;">Environment ☐</td><td style="border: none;">No Re-verification ☐</td></tr> <tr><td style="border: none;">Design ☐</td><td style="border: none;">Operator ☐</td></tr> <tr><td style="border: none;">Doc/Data ☐</td><td style="border: none;">Offset/Setup ☐</td></tr> <tr><td style="border: none;">Equip/Tooling ☐</td><td style="border: none;">Supplier ☐</td></tr> <tr><td style="border: none;">Handling/Pre ☐</td><td style="border: none;">Training ☐</td></tr> <tr><td style="border: none;">Material ☐</td><td style="border: none;">Use for Testing ☐</td></tr> <tr><td style="border: none;">Internal Transport ☐</td><td style="border: none;">Poor Information ☐</td></tr> <tr><td style="border: none;">Tribal Knowledge ☐</td><td style="border: none;">Rushing ☐</td></tr> <tr><td style="border: none;">LOA ☐</td><td style="border: none;">Product Improvement ☐</td></tr> <tr><td style="border: none;">Substation ☐</td><td style="border: none;">Process Improvement ☐</td></tr> <tr><td style="border: none;">Past Expiry Date ☐</td><td style="border: none;">Manufacturing Process ☐</td></tr> <tr><td style="border: none;">Misidentified ☐</td><td style="border: none;">Past Due ☐</td></tr> </table>	Environment ☐	No Re-verification ☐	Design ☐	Operator ☐	Doc/Data ☐	Offset/Setup ☐	Equip/Tooling ☐	Supplier ☐	Handling/Pre ☐	Training ☐	Material ☐	Use for Testing ☐	Internal Transport ☐	Poor Information ☐	Tribal Knowledge ☐	Rushing ☐	LOA ☐	Product Improvement ☐	Substation ☐	Process Improvement ☐	Past Expiry Date ☐	Manufacturing Process ☐	Misidentified ☐	Past Due ☐	<table style="width:100%; border: none;"> <tr><td style="border: none;">☐ Pressure/Forced</td><td style="border: none;">☐ Temperature/Cure</td></tr> <tr><td style="border: none;">☐ Bending</td><td style="border: none;">☐ Set-up</td></tr> <tr><td style="border: none;">☐ Centre Not Concentric</td><td style="border: none;">☐ BOM/Route</td></tr> <tr><td style="border: none;">☐ Cracks</td><td style="border: none;">☐ Broken/Damage/Defect</td></tr> <tr><td style="border: none;">☐ Crimp/Kink/Ripple/Wave</td><td style="border: none;">☐ Inspection Incomplete/Unqualified</td></tr> <tr><td style="border: none;">☐ Cuffs</td><td style="border: none;">☐ Contamination</td></tr> <tr><td style="border: none;">☐ Crushing</td><td style="border: none;">☐ Countersink</td></tr> <tr><td style="border: none;">☐ Heat Treat</td><td style="border: none;">☐ Cut Too Short</td></tr> <tr><td style="border: none;">☐ Wave/Twist in Tube</td><td style="border: none;">☐ Instructions Incomplete/Unclear</td></tr> <tr><td style="border: none;">☐ Marks/Chatter</td><td style="border: none;">☐ Drill Holes</td></tr> </table>	☐ Pressure/Forced	☐ Temperature/Cure	☐ Bending	☐ Set-up	☐ Centre Not Concentric	☐ BOM/Route	☐ Cracks	☐ Broken/Damage/Defect	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Cuffs	☐ Contamination	☐ Crushing	☐ Countersink	☐ Heat Treat	☐ Cut Too Short	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Marks/Chatter	☐ Drill Holes	<table style="width:100%; border: none;"> <tr><td style="border: none;">☐ Power Loss/Surge</td><td style="border: none;">☐ Positioned Wrong</td></tr> <tr><td style="border: none;">☐ Folio/Program</td><td style="border: none;">☐ Outside Dimensions</td></tr> <tr><td style="border: none;">☐ Grain</td><td style="border: none;">☐ Over/Under tolerance</td></tr> <tr><td style="border: none;">☐ Weld</td><td style="border: none;">☐ Part Incorrect</td></tr> <tr><td style="border: none;">☐ Wrong Stock Pulled</td><td style="border: none;">☐ Part Lost/Missing</td></tr> <tr><td style="border: none;">☐ Out of Sequence</td><td style="border: none;">☐ Part Moved</td></tr> <tr><td style="border: none;">☐ Off-set</td><td style="border: none;">☐ Drawing</td></tr> <tr><td style="border: none;">☐ Mislabeled</td><td style="border: none;">☐ Finish</td></tr> <tr><td style="border: none;">☐ Fit/Function</td><td style="border: none;">☐ Misread</td></tr> <tr><td style="border: none;">☐ Misaligned/off center</td><td style="border: none;">☐ Turning Sequence</td></tr> </table>			☐ Power Loss/Surge	☐ Positioned Wrong	☐ Folio/Program	☐ Outside Dimensions	☐ Grain	☐ Over/Under tolerance	☐ Weld	☐ Part Incorrect	☐ Wrong Stock Pulled	☐ Part Lost/Missing	☐ Out of Sequence	☐ Part Moved	☐ Off-set	☐ Drawing	☐ Mislabeled	☐ Finish	☐ Fit/Function	☐ Misread	☐ Misaligned/off center	☐ Turning Sequence
Environment ☐	No Re-verification ☐																																																																			
Design ☐	Operator ☐																																																																			
Doc/Data ☐	Offset/Setup ☐																																																																			
Equip/Tooling ☐	Supplier ☐																																																																			
Handling/Pre ☐	Training ☐																																																																			
Material ☐	Use for Testing ☐																																																																			
Internal Transport ☐	Poor Information ☐																																																																			
Tribal Knowledge ☐	Rushing ☐																																																																			
LOA ☐	Product Improvement ☐																																																																			
Substation ☐	Process Improvement ☐																																																																			
Past Expiry Date ☐	Manufacturing Process ☐																																																																			
Misidentified ☐	Past Due ☐																																																																			
☐ Pressure/Forced	☐ Temperature/Cure																																																																			
☐ Bending	☐ Set-up																																																																			
☐ Centre Not Concentric	☐ BOM/Route																																																																			
☐ Cracks	☐ Broken/Damage/Defect																																																																			
☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified																																																																			
☐ Cuffs	☐ Contamination																																																																			
☐ Crushing	☐ Countersink																																																																			
☐ Heat Treat	☐ Cut Too Short																																																																			
☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear																																																																			
☐ Marks/Chatter	☐ Drill Holes																																																																			
☐ Power Loss/Surge	☐ Positioned Wrong																																																																			
☐ Folio/Program	☐ Outside Dimensions																																																																			
☐ Grain	☐ Over/Under tolerance																																																																			
☐ Weld	☐ Part Incorrect																																																																			
☐ Wrong Stock Pulled	☐ Part Lost/Missing																																																																			
☐ Out of Sequence	☐ Part Moved																																																																			
☐ Off-set	☐ Drawing																																																																			
☐ Mislabeled	☐ Finish																																																																			
☐ Fit/Function	☐ Misread																																																																			
☐ Misaligned/off center	☐ Turning Sequence																																																																			
OTHER : _____																																																																				



D4151-043 BASKET FWD HARDPOINT ASSY (UPPER)

D4151-041 BASKET FWD HARDPOINT ASSY (LOWER)

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4151-04X" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT:
 - D4151-041 = 0.88 lbs
 - D4151-043 = 1.17 lbs

ITEM	QTY -041	QTY -043	P/N	DESCRIPTION
	X		D4151-041	BASKET FWD HARDPOINT ASSY (LOWER)
		X	D4151-043	BASKET FWD HARDPOINT ASSY (UPPER)
1	2		D4151-1	LOWER HARDPOINT PLATE
2		2	D4151-3	UPPER HARDPOINT PLATE
3	1		D4151-5	FWD BASKET INSTL STUD (LOWER)
4		1	D4151-7	FWD EYEBOLT RECEIVER (UPPER)
5	2	2	AN4C13A	BOLT
6	2	2	MS21043-4	NUT
7	4	4	NAS1149C0432R	WASHER

RELEASED
2011-01-08

C	AN4 HARDWARE WAS AN3 (B6-1, C3-1 & D3-1); Ø0.252 WAS Ø0.191 (C5-2, D1-2); TIGHTENED TO 1,000 INCH LBS (C5-2, D1-2, C7-3, C3-3); Ø0.250 WAS Ø0.191 (C6-3, B4-3); 1.83 WAS 1.75 (C1-2), 2.84 WAS 2.78 (B3-3) AND 1.88 WAS 1.80 (C1-3) TO PRESERVE 1.S.D. REASON: SEE D407-797 DESIGN JOURNAL.			MB	10.12.14
	ADDED D4151-5-7 (SHT 3); D4151-5 WAS D3811-1 (ZN B6-1 & D3-1); D4151-7 WAS D3811-3 (ZN C4-1 & C3-1) ITEMS #6, 6 & 7 REPLACE MS20815-4M20 (ZN C3-1, C3-1 & B6-1) Ø0.191 2 PL REPLACES Ø0.129 3 PL (ZN C5-2); Ø0.191 2 PL REPLACES Ø0.129 4 PL (ZN D1-2). REASON: SEE TR-D350-907-2 REV. B.			MB	10.07.05
A	NEW ISSUE			MB	10.08.22
REV.	DESCRIPTION			BY	DATE
DESIGN					
DRAWN					
CHECKED					
MFG. APPR.					
APPROVED					
DE APPR.					
DATE	10.12.14				

DART AEROSPACE LTD

HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D4151** REV. C



SHEET 1 OF 3

TITLE **BASKET FWD HARDPOINT** SCALE NTS

DATE 10.12.14

COPYRIGHT © 2010 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



0.125
REF

D4151-1 LOWER HARDPOINT PLATE

0.125
REF

D4151-3 UPPER HARDPOINT PLATE

NOTES:

1) MATERIAL: 303/304/316 STAINLESS STEEL SHEET ANNEALED 2B, 0.125 THK
PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240
REF. DART SPEC. M304S11GA OR M303S11GA

2) FINISH: NONE

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: IDENTIFY AT ASSEMBLY



7) WEIGHT:

- D4151-1 = 0.24 lbs



- D4151-3 = 0.23 lbs

RELEASED
R 2011-01-18
JMD


DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED	SC	DRAWING NO.	REV. C
MFG. APPR.		D4151	SHEET 2 OF 3
APPROVED	MT	TITLE	SCALE
DE APPR.		BASKET FWD HARDPOINT	NTS
DATE	10.12.14	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PROPRIETARY AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



D4151-5 FWD BASKET INSTL STUD (LOWER)



D4151-7 FWD EYEBOLT RECEIVER (UPPER)



SECTION A-A

- NOTES:**
- 1) MATERIAL -5: 303/304/316 STAINLESS STEEL ROUND BAR, PER ASTM A276 OR ASTM A582 PER DART SPEC M303R OR M304R
-7: 303/304/316 STAINLESS STEEL BAR, PER ASTM A276 OR ASTM A582 PER DART SPEC M303B OR M304B
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY AT ASSEMBLY
 - 7) WEIGHT -5: 0.36 lbs
-7: 0.70 lbs

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D4151	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		BASKET FWD HARDPOINT	NTS
DATE	10.12.14	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

RELEASED
R 2011-06-13
RELEASED